| | Application No. | Applicant(s) |
|---|----------------------|---------------------------------------|
| Notice of Allowability | 09/897,576 | MARKLE ET AL. |
| | Examiner | Art Unit |
| | sang nguyen | 2877 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>03/29/04</u> . | | |
| 2. The allowed claim(s) is/are 1-74. | | |
| 3. The drawings filed on <u>02 July 2001</u> are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the | | |
| attached Examiner's comment regarding REQUIREMENT | FOR THE DEPOSIT OF B | IOLOGICAL MATERIAL. |
| Attachment(s) 1. Notice of References Cited (PTO-892) | 5. ☐ Notice of | Informal Patent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | | Summary (PTO-413), |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/ | | o./Mail Date s Amendment/Comment |
| Paper No./Mail Date 4. | 8. 🛭 Examiner | s Statement of Reasons for Allowance |
| of Biological Material | 9. 🗌 Other | <u></u> . |
| | | |

Application/Control Number: 09/897,576

Art Unit: 2877

DETAILED ACTION

Allowable Subject Matter

Applicant's response to argument on 03/29/04 that as to independent claims 1, 13, 23, 33, 40, 50, 51, and 63 are allowable over the prior art for at least the reason that the prior art of record, taken alone or in combination, fails discloses or render obvious method, metrology tool, and processing line for determining contact opening dimensions comprising all the specific elements with the specific combination including of the general feature of illuminating a wafer having a test structure comprising a plurality of lines and a plurality of contact openings defined in the lines and measuring the light reflected from the contact openings and determining a dimension of the contact openings based on the measured reflected profile in combination with the rest of the limitation of claims 1, 13, 23, 33, 40, 50, 51, and 63.

As independent claim 52 is allowable over the prior art for at least the reason that the prior art of record, taken alone or in combination, fails discloses or render obvious a test structure for determining contact opening dimensions comprising all the specific elements with the specific combination including of <u>a test structure having a plurality of lines and a plurality of contact openings defined in the lines</u> in combination with the rest of the limitation of claim 52.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/897,576

Art Unit: 2877

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Sang Nguyen whose telephone number (571)-272-2425. The Examiner can normally be reached on Monday through Friday From 9:30 AM to 6:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Mr. Frank Font, can be reached on (571) 272-2415. The fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

SW

Nguyen/sn

April 12, 2004

Frank G. Font Supervisory Patent Examiner

Frank I Fort

Art Unit 2877

Technology Center 2800